

# Night Owl Alarm Settings



# Contents

---

|                   |   |
|-------------------|---|
| Available alarms  | 3 |
| Set alarms        | 3 |
| Scheduling alarms | 4 |



# Available alarms

- **Upright in bed** - When a person is sitting upright in bed, or a part of the person is detected above the bed marking.
- **Abandoned bed** - When a person, or part of a person, is detected below or outside the bed marking.
- **Abandoned chair** - When a person, or part of a person, is detected outside the chair marking.
- **Fall** - When a person is lying, or sitting on the floor. Soft fall or hard fall.
- **Exit room** - When a person has left the room through the exit marking and not returned within a pre-set amount of time.
- **Too long in bathroom** - When a person has left the room through the bathroom marking and not come back within a pre-set amount of time.
- **Loud sound** - When x-dBm has been triggered.
- **Missed bedtime** - When a person has not entered the bed area before a pre-set time.
- **Missed wake-up** - When a person has not left the bed area before a pre-set time.

# Set alarms

To avoid setting alarms in both the Night Owl portal and the Everon portal, we recommend enabling all alarm types in the Night Owl portal and only activating alarms that should be specifically used through the Everon portal. Certain alarms must only be enabled using the Night Owl portal, e.g. dBm settings, exit room minute settings and bathroom minute settings.

1. Navigate to the Service Recipient page in the Night Owl Portal, open the alarm settings and enable the relevant alarm types: all is recommended (Fig. 1).
2. For “Exit room” and “Too long in bathroom” set the grace time before these alarms are sent. This setting is often individual for each care recipient (Fig. 2).
3. Navigate to the Everon portal, go to the Device Management page and open the device card for the relevant Night Owl and set the alarm route (Fig. 3).




Fig. 1




Fig. 2




Fig. 3



# Scheduling alarms

You can schedule alarms either via the Night Owl portal for the specific alarm or through the Everon portal by creating specific alarm routings.

- **Night Owl Customer Portal**

1. Open the alarm settings on a specific nightowl and activate the relevant alarm type (Fig. 4).
2. Press “Add schedule” (Fig. 5).
3. Select on what days of the week the alarm should be activated. Set between what times the alarm should be activated and process by pressing “Add schedule” (Fig. 6).
4. Schedule is now set. If more schedules should be set for this owl and alarm type proceed by pressing “Add schedule”. If not, press “Update Alarm” to save the schedule. (Fig. 7).

- **Everon Portal**

Follow the instructions for Alarm routings in the Everon Portal manual




Fig. 4




Fig. 5




Fig. 6




Fig. 7

